



XS Wireless Digital XLR MALE RX

Model: RX XLR

XS Wireless Digital XLR MALE RX receiver with male XLR output. Designed to be used with a mixing console or recording device with a female XLR input, this 2.4 GHz receiver will pair with any XSW-D transmitter. Offered as a replacement, this item includes a charging cable but does not any other accessories.



FEATURES

- One touch ease-of-use
- 2.4 GHz digital transmission for worldwide operation
- 75 m range (250 ft) in optimal conditions
- Up to 5 hours battery life on a single charge
- Switch between multiple transmitters linked to one receiver

DELIVERY INCLUDES

- XSW-D XLR MALE RX (Model: RX XLR)
- USB-A to USB-C charging cable
- Colored stickers for labelling
- Quick guide
- Safety guide

SPECIFICATIONS

USB C interface for charging:

Input voltage	typ. 5.0 V
Charging temperature	0 °C - 60 °C (32 °F - 140 °F)
Charging time	typ. 3 h

Battery pack:

Cell type	Li-Ion
Nominal voltage	3.7 V
Cell capacity	850 mAh
Operating time	up to 5 h

AF characteristics:

Codec	aptX® Live
Audio frequency response	80 - 18,000 Hz
Audio output	max. 12 dBu
Signal-to-noise ratio	≥ 106 dB
THD	< 0.1 %
Audio latency	< 4 ms

Product properties:

Dimensions	approx. 109 x 24 x 28 mm
Weight	approx. 90 g
Frequency range	2,400 - 2,483.5 MHz
Modulation	GFSK with TDMA

Environmental conditions:

Operating temperature	-10 °C to +55 °C (14 °F to 131 °F)
Relative humidity	95 % (non-condensing)



XS Wireless Digital XLR MALE RX

Model: RX XLR

PRODUCT VARIANTS

XSW-D XLR MALE RX
Receiver with male XLR output Art. no. 508497

AVAILABLE SETS

XSW-D VOCAL SET Art. no. 508484
XS 1 handheld, female XLR transmitter,
male XLR receiver

XSW-D LAVALIER SET Art. no. 508485
ME2-II, 3.5 mm (1/8") transmitter, male
XLR receiver

XSW-D PEDALBOARD SET Art. no. 508486
6.3 mm (1/4") transmitter, pedalboard
receiver

XSW-D PORTABLE LAVALIER SET Art. no. 508488
ME2-II, 3.5 mm (1/8") transmitter &
3.5 mm (1/8") receiver

XSW-D PORTABLE INTERVIEW SET Art. no. 508489
Female XLR transmitter, 3.5 mm (1/8")
receiver

XSW-D PORTABLE ENG SET Art. no. 508490
ME2-II, 3.5 mm (1/8") transmitter,
female XLR transmitter, 3.5 mm (1/8")
receiver

XSW-D XLR BASE SET Art. no. 508491
Female XLR transmitter, male XLR
receiver

XSW-D PRESENTATION BASE SET Art. no. 508492
3.5 mm (1/8") transmitter, male XLR
receiver

XSW-D INSTRUMENT BASE SET Art. no. 508493
6.3 mm (1/4") transmitter, 6.3 mm
(1/4") receiver

XSW-D PORTABLE BASE SET Art. no. 508621
3.5 mm (1/8") transmitter, 3.5 mm
(1/8") receiver

ACCESSORIES

XSW-D XLR FEMALE TX Art. no. 508494
Transmitter with female XLR input

XSW-D MINI JACK TX Art. no. 508495
Transmitter with 3.5 mm (1/8") input

XSW-D INSTRUMENT TX Art. no. 508496
Transmitter with 6.3 mm (1/4") input

XSW-D INSTRUMENT RX Art. no. 508498
Receiver with 6.3 mm (1/4") output

XSW-D PEDALBOARD RX Art. no. 508499
Receiver with 6.3 mm (1/4") & male
XLR outputs

XSW-D MINI JACK RX Art. no. 508500
Receiver with 3.5 mm (1/8") output

NT XSW-D PEDALBOARD Art. no. 508647
Power supply for pedalboard receiver

CL 35 Art. no. 508648
3.5 mm (1/8") coiled output cable

CI 63 Art. no. 508649
6.3 mm (1/4") extension input cable

XSW-D BELTPACK CLIP Art. no. 508650
Transmitter belt clip

XSW-D HOTSHOE MOUNT Art. no. 508651
Camera mount for XSW-D receivers



XS Wireless Digital XLR MALE RX

Model: RX XLR

DIMENSIONS

XSW-D XLR MALE RX

